Alabama Research and Development Enhancement Fund Quarterly Report July 2023



shonda.gray@adeca.alabama.gov

| Street Address: | 401 Adams Avenue, Suite 560 Montgomery, Alabama 36104-4325 |
|------------------|---|
| Mailing Address: | Post Office Box 5690 Montgomery, Alabama 36103-5690 |

Background

The Alabama Innovation Act (AIA) was established by Legislative Act #2019-404 and became effective June 6, 2019. The Act designated the Alabama Department of Economic and Community Affairs (ADECA) as the state agency to establish and administer the Alabama Research and Development Enhancement Fund (ARDEF) Program.

The purpose of the ARDEF Program is to encourage new and continuing efforts to conduct research and development activities within the state. The Fund is designated to receive appropriations from the legislature, or from the receipt of gifts, grants, or federal funds to be expended for the purpose of increasing employment opportunities, products and services available to the citizens of Alabama.

Overview of 2020 Program Year

| Applicant | Amount |
|---|--------------|
| Auburn University – Removal of Per- and Polyfluoroalkyl Substances (PFAS) in Water and Landfill Leachate in Alabama | \$193,960.00 |
| Auburn University – Knitting Micro-Resolution Mosquito Bite Blocking Textiles | \$868,145.00 |
| Auburn University – Advanced Biosensors from Forestry Products and Agricultural Resources | \$245,864.77 |
| HudsonAlpha Institute for Biotechnology – Advancing Genomic Health in Community Clinics and Employee Wellness Settings | \$969,409.00 |

Projects Funded Under 2020 Round One Grant Period

Auburn University – Removal of Per- and Polyfluoroalkyl Substances (PFAS) in Water and Landfill Leachate in Alabama

This project aimed to remove and destroy the so-called forever chemicals, per- and polyfluoroalkyl substances (PFAS), from Alabama water and landfill leachate. PFAS have been detected in chemical manufacturing wastes and landfill leachate in Alabama and have caused some serious cases of drinking water contamination in the state. Ongoing health concerns and regulatory development associated with PFAS are threatening the sustainable development of the Alabama economy and business. The goal of this research was to develop an innovative "Concentrate-&-Destroy" technology to cost-effectively remove and degrade PFAS in water and landfill leachate. The new remediation technology will provide the affected industries and water utilities with a powerful remediation means to mitigate the PFAS-related issues, thereby assuring sustainable development of the economy and the wellbeing of Alabama citizens.

This quarter we focused on two major activities. First, we dedicated efforts to writing the final report. This process involved synthesizing and consolidating the research findings, methodologies, and results obtained throughout the project. We ensured that the report presented a comprehensive overview of our work, including the background, objectives, experimental procedures, data analysis, and conclusions. Second, we worked on crafting a concise and impactful abstract for the

final report. The abstract serves as a summary of the entire document, highlighting the key aspects and findings of the research. We carefully selected and organized the most significant information to provide a comprehensive yet concise summary of the project. Overall, this quarter's focus on writing the final report and preparing the abstract has allowed us to present a comprehensive and concise summary of our research.

Auburn University – Knitting Micro-Resolution Mosquito Bite Blocking Textiles

Insects transmit crippling diseases to humans. Nearly a half-million people die of malaria each year. In Alabama, citizens encounter Dengue and Zika virus invasions as well as a multitude of encephalitis variants. The worse vector-borne diseases are transmitted in the hottest climates like Alabama, and it is uncomfortable to wear the thickest clothing. This project will research different textile and weave patterns to create clothing that is cool in heat and capable of blocking mosquito bites and develop prototypes based on this research. Beyond the prototype phase, research will be done to measure the effectiveness this product will have on the Alabama economy.

In the past quarter, we made significant progress in our research project on developing mosquito bite blocking textiles. Excitingly, our research findings were published on a preprint server and gained significant attention. Our article went viral and was reported by multiple popular news outlets. This publicity led to major clothing manufacturers expressing interest in collaborating with us to manufacture the textiles. We also made important technological breakthroughs in understanding the manufacturing details of the yarn. In the upcoming quarter, we plan to finalize agreements with these companies and initiate licensing negotiations to scale up production.

Auburn University – Advanced Biosensors from Forestry Products and Agricultural Resources

The main goal of this project is to utilize Alabama's forestry products and agricultural resources for extracting cellulosic nanomaterials (CNM) by using these nanomaterials in advanced biosensing. As timber production and other agricultural products are essential for the economy in Alabama, these materials are a great resource for obtaining cellulosic nanomaterials.

Outstanding laboratory facilities along with the support from ADECA are enabling scientific knowledge contributions and revalorization of agricultural and forestry waste products as biosensors. Trees and crops contain tiny materials known as cellulose nanomaterials (CNMs). Developing new applications for CNMs could enable forestry and crop waste to provide additional economic benefits for Alabama citizens. An Auburn University research team is exploring using CNMs from cotton, soybean hulls, and wood to produce sensors for the detection of allergens and water contaminants. Thus far, the team has shown that CNMs can be used to absorb carbofuran which is a common pesticide. They have also shown that CNMs can be used to absorb beta-lactoglobulin, a milk allergen. In ongoing work, they are improving the chemistry to make sensors that cannot only absorb multiple species but also selectively detect the materials of interest (analytes). The long-term goal of this work is to have a family of portable CNM sensors that can be used by citizens to test for water contaminants and food allergens.

This project is focused on using Alabama's forestry and agricultural products such as wood, cotton, and soybean hulls as sources of an exciting nanomaterial called cellulose nanocrystals (CNC). Cellulose nanocrystals are found in all biomass. Their high strength, large specific surface area,

and natural organic chemistry make them exciting for a range of applications. We are focused on developing sensors to improve water safety and the health of Alabama citizens. This quarter we continued working toward using CNCs as sensors. We are using laboratory tools such as Quartz Crystal Microbalance with Dissipation (QCMD) and Surface Plasmon Resonance (SPR) to validate our approach. So far, we have increased the stability of the CNC when exposed to water and demonstrated analyte absorption.

This quarter we continued to focus on refining our production of CNCs from soy and cotton, exploring the processing window for making shear cast films from these materials, and evaluating film optical and mechanical properties. Additional efforts focused on optimizing CNC device fabrication conditions after a change in fabrication materials and equipment repair. Auburn University's outstanding laboratory facilities and the support from ADECA are helping the research team continue to gain insights on how an exciting material hiding in our abundant forestry and agricultural resources can be transformed to enable Alabama citizens to detect contaminants and allergens in their water and food.

HudsonAlpha Institute for Biotechnology – Advancing Genomic Health in Community Clinics and Employee Wellness Settings

Genomic medicine is a form of precision medicine that uses approaches customized to each patient to treat disease and optimize prescription medicine based on a genetic profile. This project will test and develop a genomic health complete delivery system for Alabama patients and physicians at healthcare systems and community hospitals with limited expertise in genomics. This system includes: 1) Partnering with Auburn University to develop community-based models for health programs; 2) Refining and optimizing the process including insuring access by rural and underserved areas, and 3) Developing the health IT infrastructure needed to fully integrate genetic test reporting and education into an electronic health records system. The proposed development of new products and services will result in improved health outcomes for Alabamians, opportunities for employers to increase competitiveness and reduce costs, and small, regardless of socioeconomic status.

The HudsonAlpha project continues to work with partners across the state of Alabama to provide genetic testing as an employee wellness benefit. Genetic results provided as part of this project include pharmacogenetics, to inform the selection and dosing of medications, as well as risk for certain diseases such as cancer and cardiac conditions. Program impact is assessed through the analysis of de-identified participant test results as well as follow-up surveys. This past quarter we completed recruitment of participants through partnering employers. The final sets of participant samples are at the laboratory for testing and analysis. We expect to return results from these samples during the upcoming quarter. We continue to collect data from staff at partner sites describing how they have implemented the workplace genetic testing program, challenges that have arisen, and factors that have contributed to project success. Data disseminated through the HudsonAlpha project will provide valuable insight into the clinical and personal utility of genetic testing in the context of employee wellness.

| Projects Funded | Under 2 | 2020 Round | Two Grant Period |
|------------------------|---------|------------|-------------------------|
|------------------------|---------|------------|-------------------------|

| Applicant | Amount |
|--|--------------|
| University of Alabama in Huntsville – Alabama Business Resiliency and Sustainability Index and Roadmap | \$746,104.00 |
| University of Alabama in Huntsville – Rural Employment and the Need for an Alabama Irrigated Acreage Survey, Demand Estimate and Forecast | \$172,073.00 |
| University of Alabama at Birmingham – A Comprehensive Data Science Software Toolkit to Improve Alabama's Mobility Planning for Serving Businesses and Vulnerable Populations | \$394,926.00 |
| Auburn University – Design, Fabrication and Testing of Novel Medical Facemasks to Prevent COVID-19 | \$75,374.00 |
| Auburn University – Formaldehyde Paper-based Device (PAD) for a Cost-efficient Detection of Formaldehyde Emissions from Wood Panels | \$247,142.00 |
| University of Alabama at Birmingham – Commercialization of Small Diameter Artificial Vascular Graft for an Animal Trial | \$906,458.00 |
| Bashan Institute of Science – Exploring the Use of Cellulose Fibers as Microcapsules for Plant Growth-promoting Bacteria (PGPB) Inoculants | \$7,500.00 |

University of Alabama in Huntsville – Alabama Business Resiliency and Sustainability Index and Roadmap

Recent events, such as the global COVID-19 pandemic, are having detrimental impacts on companies throughout Alabama, including the products and services they provide and the citizens they employ. Other impactful events that can occur may include the sudden loss of a major customer or supplier, a natural disaster, or even a diminishing source of skilled labor. The objective of this project is to research potential impacts on businesses and organizations across several business sectors to develop and deploy a comprehensive Resiliency and Sustainability Index and Roadmap (RSIR) model. The RSIR can be further tailored to fit each business sector and individual organization. Additionally, the UAH team will directly support businesses in the customization and implementation of their RSIR along with assistance in developing the ability to execute the roadmap and plan should the need arise.

Outreach efforts for this project are ongoing. Extensive research was conducted to strategically identify over 1,300 additional qualified companies. Forty-nine chambers of commerce were identified and contacted. Virtual meetings were held with 12 of those chambers, and they agreed to share the program details with their eligible members.

Four additional companies have started the Future Ready program, one of which has completed their assessment. Implementation support actions are ongoing as templates/resources are developed and research is conducted on behalf of the customers' support actions.

University of Alabama in Huntsville – Rural Employment and the Need for an Alabama Irrigated Acreage Survey, Demand Estimate and Forecast

As irrigated agriculture develops in our rural communities, it is imperative Alabama has the tools and data needed to ensure water resources are available for sustainable economic development. The goals of this project are to update the existing manual center pivot irrigation survey completed by UAH for the years to include 2017 and 2019 and develop a state-specific machine-learning framework from multiple sources of remote sensing products to efficiently and semi-autonomously identify the irrigated areas in Alabama to include all irrigated land such as golf courses and other irrigation system types beyond just center pivots. This information will be used to update the report "Estimates of Future Agricultural Water Withdrawal in Alabama," produced by the Water Resources Center, Auburn University for OWR in 2017. The result will include updated estimates as well as methodologies utilizing more recent urban growth and land use change data. The results and outcomes of this project will support the Alabama Department of Economic and Community Affairs (ADECA) Office of Water Resources (OWR) to accurately analyze and forecast water use across the State.

During Q4 2022, this project's final quarter, the team finalized the results and concluded the project. The results and outcomes of this project will support the Alabama Department of Economic and Community Affairs (ADECA) Office of Water Resources (OWR) to accurately analyze and forecast water use across the State. In 2015, a total of 121,394 acres of center pivot irrigation was identified. This was about a 37,000-acre increase from 2013. The current study mapped center pivot irrigation for the years 2017, 2019 and 2021. We show that irrigation has continued to increase, though the rate of increase has decreased. Overall, center pivot irrigation grew 24,594 acres from 2015 to 2021 at an average annual rate of approximately 4,000 acres per year. This varied by region with the Wiregrass region increasing the most over the same period (5,600 acres total). A pilot project was developed to assess the potential of automating the center pivot survey. Though the Alabama specific methodology performs as well as or better than many national products, there are still improvements that are needed to meet the accuracy needed for water use surveys. Lastly, a land use change model was employed to estimate the future growth in irrigation to inform future water use estimates. Overall, our results show a greater than 50% increase in irrigation by 2040.

This research project ended October 15, 2022.

University of Alabama at Birmingham – A Comprehensive Data Science Software Toolkit to Improve Alabama's Mobility Planning for Serving Businesses and Vulnerable Populations

This project focuses on the development of a comprehensive data science software toolkit to support transportation planning for Alabama's businesses and vulnerable populations. Research activities include: (i) use of transportation user surveys and open data source collection to build a web-based data portal for mobility analysis in Alabama; (ii) development of agent-based urban transportation simulation models, and employment of machine learning techniques for transportation forecasts; and (iii) use of the developed tools to study scenarios that address pressing mobility needs in Alabama. Examples include (1) building a COVID-19 simulator to explore how various business reopening strategies affect the population's mobility and hence the virus spread;

and (2) studying the impact of shared mobility services such as Uber/Lyft/Via, Zyp BikeShare stations and dockless electric scooters on local traffic congestion, transit use; and accessibility and mobility of vulnerable populations. The project will provide helpful recommendations to transportation policymakers about transportation initiatives that can help Alabamians, including economically and physically disadvantaged ones, to gain access to jobs and critical amenities in an equitable and efficient manner.

During the reporting period of April to June 2023, the team has conducted an analysis of the temporal and spatial patterns of shared e-scooter usage from VEO and GOTCHA in the Birmingham area. The data shows a clear seasonal trend in e-scooter demand, with peak usage during the summer months and a decline in winter. This pattern indicates an influence of weather conditions on e-scooter adoption. From a spatial perspective, the majority of trips are clustered around the UAB campus and downtown Birmingham, especially in the afternoon and evening and predominantly on weekends. Based on these patterns, it can be inferred that shared e-scooters are mainly used for commuting to the UAB campus in the morning and for both leisure activities and commuting in downtown Birmingham and around the UAB campus in the afternoon and evening. Weekend usage is particularly high for leisure activities in downtown Birmingham and commercial centers around the UAB campus.

Auburn University – Design, Fabrication and Testing of Novel Medical Facemasks to Prevent COVID-19

One of the most effective ways to prevent viral spread of the Coronavirus is to use face masks and respirators. Available reusable face masks are often not as effective as single-use coverings, which are costly and environmentally irresponsible. Currently, there is limited knowledge available on the performance of fabrics used in masks. Filtration efficiencies as a function of aerosol particulate sizes in 10 nm to 10 μ m range are relevant for respiratory virus transmission but lack evaluation. The purpose of this research was to develop novel face masks to fight the pandemic based on scientific and engineering principles. In this research, novel medical face masks were designed, produced, and tested to reduce the spread of COVID-19 while improving on deficiencies present in currently used textile reusable face coverings. The project incorporates additive manufacturing, computer aided design (CAD), third party testing of both Bacterial Filtration Efficiency (BFE) and differential pressure measurements, and laser-visualization tools for illuminating leakage.

This project resulted in a textile face mask design with enhanced capabilities as compared to other textile masks currently available on the market. Through the employment of various testing methods, including bacterial filtration efficiency, breathability, initial filtration efficiency, laser leakage illumination, and performance testing, various mask iterations were evaluated and improved to perform better. Different engineering methods were utilized, including textile engineering, additive manufacturing, and laser imaging, all to construct a device with the capability of reducing the spread of COVID-19 or another disease, if a pandemic such as COVID-19 were to occur again.

This research project ended May 15, 2022.

Auburn University – Formaldehyde Paper-Based Device (PAD) for a Cost-Efficient Detection of Formaldehyde Emissions from Wood Panels

Formaldehyde emission can be toxic to people depending on the time of exposure coupled with formaldehyde concentration. This level of exposure is generally not high in forest products because companies that make indoor products currently measure formaldehyde through quality control techniques. Companies also use safe adhesives ("glues") by partnering with their suppliers. Nevertheless, these companies are regulated to federal standards such as the California Air Resources Board (CARB) to ensure this safety. To assist with the more expensive and laborious methods in CARB, this project endeavors to create a relatively cheap paper-based sensor that changes color based on formaldehyde exposure. Such a product can help to reinforce the safety of our forest products while maintaining the jobs of our many Alabamians.

Oriented strand board panels were prepared in our laboratory, and the formaldehyde (FA) emissions were performed in the open air using a paper-based FA sensor and a Temtop M-2000 air quality monitor, simultaneously. The results showed that there could be a greater specificity in the case of the data collected with paper-based FA sensor compared to the values observed with the electronic sensor. Further experiments should be conducted to confirm the hypothesis.

University of Alabama at Birmingham – Commercialization of Small Diameter Artificial Vascular Graft for an Animal Trial

The goal of the project is to finalize the development of an artificial vascular graft for surgical implantation. The graft has relevance to the current COVID-19 pandemic in that numerous patients are reporting kidney infections and blood clots. UAB has been working on this project since 2007 and has reached a point where funds are needed for an animal trial. Once this graft has been validated through this process, we plan to market it to a biomedical implant company to set up a division in Alabama or to establish a spin off company for the production and distribution. This graft has the potential for an estimated \$50 million in annual sales based on conservative estimates of the number of surgical interventions that could use the implant in an unmet market and lead to a number of jobs for highly skilled workers in the State of Alabama.

This quarter we have performed three graft implantations with the third being a successful one. The first two surgeries had complications arising from the size of the graft not having the correct length. The surviving animal will be sacrificed, and the graft will be retrieved and analyzed.

Bashan Institute of Science – Exploring the Use of Cellulose Fibers as Microcapsules for Plant Growth-Promoting Bacteria (PGPB) Inoculants

Inoculation of plants with plant growth-promoting bacteria (PGPB) that enhance the yield of crops and growth performance of environmental plants is an old practice. Two main factors control the success of inoculation—effectiveness of the bacteria and application technology. If the suspensions of bacteria are inoculated into the soil without a proper carrier, the bacteria population declines rapidly. These unprotected inoculated bacteria must compete with the often better-adapted native microflora and withstand predation by soil microfauna. Consequently, a major role of formulation of bioinoculants is to provide a more suitable microenvironment, combined with physical protection for a prolonged period to prevent a rapid decline of introduced bacteria. This project explored the feasibility of using cellulose fibers as carriers, to improve survival and enhance the PGPB viability.

This research project ended March 15, 2022.

Overview of 2022 Program Year

Projects Funded Under 2022 Grant Period

| Applicant | Amount |
|---|--------------|
| The University of Alabama – Innovative Wood-Concrete Composite Structural Elements for Resilient Modular Building and Transportation Structures | \$341,679.00 |
| Auburn University – Advanced Liquid Transportation Fuels from Co- Liquefaction of Forest Biomass and Waste Plastics | \$727,677.00 |
| Auburn University – Novel Biotechnology that Converts Agricultural and Municipal Waste into Bioplastics | \$294,008.00 |
| HudsonAlpha Institute for Biotechnology – Next Generation Crops for a Diverse Alabama Agricultural Economy | \$968,365.00 |
| University of Alabama in Huntsville – Versatile Training to Provide an Agile, Advanced Manufacturing Workforce in Alabama | \$603,206.00 |
| Auburn University – Polymer Smart Machines | \$268,353.00 |
| University of North Alabama – Surface Plasmon Resonance-based Biosensors | \$10,353.33 |
| Auburn University – Novel and Sustainable Feed Binder from Soybean Hulls | \$300,432.00 |
| University of Alabama at Birmingham – Amputation | \$700,000.00 |
| University of Alabama at Birmingham – Pneumococcal Vaccine | \$635,926.67 |

The University of Alabama – Innovative Wood-Concrete Composite Structural Elements for Resilient Modular Building and Transportation Structures

This research project focuses on the development of innovative materials and construction techniques that can help improve the sustainability and resilience of Alabama building and transportation infrastructure. The overall research goal of this project is to develop innovative hybrid structural building elements using fiber reinforced concrete and laminated wood materials (traditional lumber and/or bamboo); and characterize their performance under several loading conditions. As part of this research, we will develop two types of hybrid elements and perform large-scale testing of these elements whereby they will be subjected to mechanical and impact loading (representing expected debris impact during a tornado event). We will also investigate the acoustic and thermal performance of these elements to understand their energy efficiency for building applications. The novel and validated structural elements can provide opportunities to attract new industries and supply chains related to prefabricated building systems.

This quarter we identified the adhesives needed for fabrication of cross-laminated bamboo (CLB), and polyurethane reactive (PUR) based adhesive was procured. We made small CLB samples to fine tune the fabrication process, and we plan to fabricate CLB panels during the next quarter. We

presented an extended abstract in June 2023 at an international conference. The presentation was based on the work done so far on cross-laminated timber – ultra high-performance concrete (CLT-UHPC) panel behavior. We performed testing of UHPC interface specimens to characterize the CLT-UHPC interface behavior with different interface characteristics. We also performed moisture ingress testing to understand the moisture transfer across UHPC-CLT interfaces.

Auburn University – Advanced Liquid Transportation Fuels from Co-Liquefaction of Forest Biomass and Waste Plastics

The main goal of this project is to advance economic development in Alabama (and the nation) through reinvigoration of our natural resource-based industries and to establish new industries based on advanced liquid fuels from woody biomass grown in the state and the waste plastics collected from our local cities. Woody biomass prevalent in Alabama will be co-liquefied with waste plastics using a pyrolysis technology, which will then be subjected to hydrogen treatment to produce jet- and diesel- fuels. The funding from the Alabama Innovation Fund will be used to overcome technical barriers faced in converting woody biomass to biofuels and waste plastics recycling. The research will be focused on developing: (i) a process that would require lower capital and operating cost for biomass liquefaction; (ii) catalysts for the production of jet- and diesel-fuels; and (iii) a pathway for recycling waste plastics for the production of liquid fuels along with woody biomass. The team will leverage existing infrastructure and expertise at the Center for Bioenergy and Bioproducts at Auburn University.

The project aims to produce transportation fuels using biomass and non-recyclable waste plastics. During this quarter, the pyrolysis oil was upgraded using a two-step hydrotreatment procedure that involved mild treatment followed by upgrading under extreme conditions in the presence of an appropriate catalyst at each step. In the first step, referred to as mild hydrotreatment, stabilization was achieved by feeding pyrolysis oil and noble metal catalysts (Ru/C) with 70:1 ratio at 150°C under 1000 pressure hydrogen for two hours in a bench-top batch reactor. At the next step, denoted as severe hydrotreatment, mild hydrotreated pyrolysis oil was hydrotreated (1000 psi) at 400 °C for four hours with cobalt-molybdenum supported on alumina (CoMo/Al2O3) catalyst at the same feed-to catalyst mass ratio (70:1) in a similar reactor. The hydrotreated oil, generated aqueous phase, and solid coke mixed catalyst were separated by centrifuging the entire mixture for 15 minutes at 1000 rpm after each hydrotreatment stage. Almost 80 wt.% of the oil was recovered after the mild hydrotreatment process, while the severe hydrotreatment yield was less than 20 wt.%. The acidity of the upgraded oil showed a notable improvement. The mild hydrotreatment step slightly reduced the acidity of the upgraded oil. Regardless of the catalytic condition, the acidity of the upgraded oils from severe treatment exhibited a substantial drop (10-20 times) compared to mild treated oils. This result suggested that two step upgrading process can significantly improve the pine pyrolysis oil quality. In the next quarter, we will examine the role of upgrading process parameters on upgraded bio-oil yield.

Auburn University – Novel Biotechnology that Converts Agricultural and Municipal Waste into Bioplastics

Alabama is one of the top agricultural producing states in the U.S., with annual agricultural exports exceeding \$1 billion. As a result, there is a significant amount of organic wastes produced in the state, and Alabama ranks 14th among all states in terms of biogas generation potential from organic waste through anaerobic digestion (AD). These organic wastes represent an underutilized

renewable feedstock for biofuel and biochemical production. This project aims at researching and assessing the economic feasibility of converting organic wastes into bioplastics. Specifically, the project will develop and optimize a prototype of a patent-pending biotechnology that enables the conversion of organic wastes into bioplastics, and to assess its technical and economic feasibility at scale through techno-economic analysis (TEA). In the proposed technology, a microalgae-methanotroph coculture will be cultivated in a novel patent-pending circulation coculture biofilm photobioreactor (CCBP) to convert biogas (both methane and carbon dioxide) derived from organic wastes into microbial biomass while simultaneously recovering chemicals from AD effluent to produce treated clean water. The produced mixed microbial biomass can be economically processed to produce high-value bioplastics that are in rising demand. The project will advance the progress of the patent-pending biotechnology towards commercialization, which has potential to create many new jobs in the State of Alabama.

During Q2 2023, the CCBP system successfully passed abiotic tests after several improvements to the system. With the improved screening system, we were able to quantitatively compare the growth of different single and mixed cultures of microalgae and methanotrophs and identify their optimal growth temperature.

HudsonAlpha Institute for Biotechnology – Next Generation Crops for a Diverse Alabama Agricultural Economy

The HudsonAlpha ADECA/ARDEF project, in collaboration with Auburn University Crop, Soil and Environmental Science and Pathology Departments, and Alabama A&M University (AAMU) Winfred Thomas Agricultural Research Station will develop a pilot pipeline to import and test new crop varieties that could be deployed by Alabama farmers. We will connect the advanced agronomy crop research at Alabama Land Grant Institutions to the advanced plant genetic and genomic science expertise at HudsonAlpha. For two crops, barley and beans, the team will bring in diverse germplasm, plant and evaluate cultivars to advance in additional trials. Barley will be tested as an overwinter crop for a spring harvest in Northern and Southern Alabama and dry beans will be tested as a summer crop in North Alabama. The team will evaluate disease, environmental, and weed pressure and other important agronomic traits for a crop to be successful in our challenging farming climate. As part of the goals, the partners will focus on increasing economic awareness of local barley and beans, connecting into existing educational and career development frameworks, and partnering with end users for brewing and food applications to increase the value of these Alabama crops. As this project develops, the teams will work with local farmers who are interested in planting alternative crops and engage stakeholders in workshops to discuss the science of next generation crop development to expand partnerships and apply this strategy to more crops useful for Alabama. With this newly developed research and collaborative infrastructure to bring in additional crop options, we can take control of the future of Alabama farming by optimizing the genetics and germplasm for Alabama, train new scientists in advanced plant science, open up new economic development in agriscience, and expand the current impact of local food and beverage industries.

In this quarter, we hosted a barley field day at HudsonAlpha, which included visits to our research station partners at Alabama A&M and Auburn Tennessee Valley Research Center, to allow local farmers and our malting partners to talk with field station personnel and see the results of the overwinter trials in 2022-2023 before harvest. In June, we worked with our partners to harvest 25 tons of barley from North Alabama including from three farm partners. We are awaiting quality

information for this barley to begin malting tests. We also moved forward with planting a larger trial of common bean, including 12 black and 12 pinto varieties.

University of Alabama in Huntsville – Versatile Training to Provide an Agile, Advanced Manufacturing Workforce in Alabama

The overall goal of the proposed institutional collaboration is to assist in the transition of Alabama from a low-labor-cost manufacturing state to a leader in the research and development of next generation manufacturing sciences. To meet this goal, our primary objective is to *expedite trans-disciplinarily, inter-disciplinarily, and multi-disciplinarily* training of Alabama for entering the industrial and government workforces and contributing to the implementation and advancement of the emerging manufacturing technology through Additive Manufacturing. Student teams from University of Alabama in Huntsville (UAH) and Calhoun Community College (CCC) have developed a documentation system to track vital information on builds with complete specimen builds in 316L under both Nitrogen and Argon atmospheres. Student understanding of the documentation requirements is critical to their future employers' efforts to qualify and certify additive manufactured components.

All activities are intended to mirror industrial expectations for workers at different educational levels (technician vs. engineer). This teaming builds an appreciation for different skills required in industry. Additional equipment is being added to CCC to expose students to industry standards. In addition to the collaborative efforts by the team of CCC Students with UAH students, UAH graduate students also serve as instructors for an introductory course on Materials Science.

Auburn University – Polymer Smart Machines

This project aims to research and develop the foundational building blocks of polymechatronics, which will enable the realization of 3D printable polymer smart machines. The research and development includes designing, fabricating, modeling, and characterizing piezopolymer versions of traditional mechanical and electrical building blocks such as actuators, sensors, energy harvesters, energy storers, and analog & digital circuit elements. Conventional 3D printed structures do not actuate or compute. However, if successful, the proposed project will lead to the first 3D printable smart machines that can actuate and compute without the need of externally-manufactured actuators and circuits. Compared to traditional devices, polymer smart machines are expected to be less expensive, easier to manufacture, biocompatible, recyclable, use less energy, operate over a larger range of temperatures, offer new functionalities, and be more environmentally friendly. Such attributes are expected to enable a wide spectrum of novel mechatronic components and products for consumers.

This quarter we prepared polyvinylidene fluoride (PVDF) thin film using spinning coating. The PVDF thin films in thickness from 2 to 5 um have been successfully prepared. We tried an electrical spinning technique to prepare PVDF thin film. The PVDF thin film was successfully prepared, but the films were porous not solid film. We also built a setup to characterize the piezoelectric behavior of flexible thin film. To achieve a high piezoelectric effect, it is better to use P(VDF-TrFE) copolymer.

We have purchased poly(vinylidene fluoride-trifluoroethylene) (P(VDF-TrFE)) from China; however, it has yet to arrive, which is slowing progress. Due to the delay, we used PVDF for the

film preparation, which is of low quality. However, due to the similarity between the PVDF and P(VDF-TrFE), the process condition and expertise gained from PVDF preparation can be directly used to prepare the P(VDF-TrFE) thin film.

Since the postdoctoral research assistant on this project was not meeting satisfactory expectations, he was replaced by a graduate research assistant who has expertise in the materials science of piezopolymers.

University of North Alabama – Surface Plasmon Resonance-based Biosensors

Biosensors are devices that convert a biological response into an electrical signal; and, they are increasingly prevalent across multiple industries including (i) food industry to check and verify the quality of the vegetables, fruits and meat, (ii) medicine and health industry to diagnose biological samples for diseases, ailments etc., and (iii) monitor safety industry to identify harmful chemicals. The current state of biosensors' sensitivity is often limited to minute concentrations of the molecules/agents under testing, usually in the range of 5 ng/mL. Due to this limitation, the biosensor output may lead to a failed detection and/or recognition that might cause harm to life.

A novel technique will be used to enhance the sensitivity of the biosensors based on the principle of surface plasmon resonance (SPR). Numerical investigations have suggested that this novel technique can improve the sensitivity by at least 5-fold, which facilitates easier detection of biomolecules in concentrations not possible using other biosensors. Upon building and successful testing of the SPR sensor system with regular glucose samples, the plan is to detect cow milk allergy agent and Staphylococcal enterotoxin B (SEB), which are important biomolecule agents in the food industry. The proposed biosensor setup can also be used for medical diagnostics.

The numerical results on the validity of the proposed concept (application of electrical bias across the sample in a SPR setup will provide improved sensitivity) for cancer detection were published in the SENSORS journal. Experiments are under way to verify the validity of the proposed idea with sugar solutions. At this stage, the sugar solutions with known concentrations are air-dried and then used as samples in the experiment.

Auburn University – Novel and Sustainable Feed Binder from Soybean Hulls

The goal of this project is to establish a low cost, high value, and novel compound feed binder from soybean hulls (SBH), a co-product of soybean processing for oil and meal production. The specific objectives of this project are twofold: 1) to scale-up feed binder production to around 1.5 kg/hour and optimize process conditions for production; and 2) to scale-up shrimp feeding trials simulating shrimp farming operations at a commercial shrimp operation in West Alabama. Successful completion of this project will establish a high value and novel compound feed binder platform using 100% soy hulls that is ready for commercial scale productions and applications with significant economic and environmental benefits. It will significantly enhance competitive advantage of shrimp farmers in Alabama by reducing their feed costs. This will in turn improve employment opportunities in seafood farming and processing sectors, making more local seafood and services available to the citizens of Alabama. In addition, it will also significantly improve water quality by reducing leached nutrients.

Our new equipment for the scale-up production of our soybean hulls-based binders with 50% solid content is now fully functional. We have produced several kilograms of binders using the new equipment and are evaluating the binder's binding capacity in comparison with the binders we produced earlier using a lab scale with 10% solid content.

University of Alabama at Birmingham – Amputation

Approximately 1.6 million people live with an amputation within the U.S., and amputation cases are expected to rise to approximately 3.6 million by 2050. 185,000 people have an amputation each year in the U.S., with a significant increase noted associated with COVID-19 infection. The conventional technology is unable to adapt to the dynamic residual limb as it atrophies over time and swells with heat or weight gain. Percutaneous osseointegrated prostheses (POP) are a promising development for the limb-prosthesis interface involving the direct skeletal attachment of the prosthetic device. Alongside the promising benefits of POP, significant risks are present at the bone-implant interface including superficial and deep infection, inflammation, insufficient osseointegration, lack of vascularization, and implant loosening. The main goal of this project is to develop the multifunctional nanomatrix coating on POP that can be clinically translated for improved osseointegration of prosthetics, and other types of orthopedic and dental implants in order to help promote healing and prevent infection.

We have made progress on studying effects of nitric oxide on endothelial cell migration and osteogenic differentiation of stem cells on titanium. We have extensively worked on a surgical protocol that mimics the clinical scenario of amputation with infection.

University of Alabama at Birmingham – Pneumococcal Vaccine

Streptococcus pneumoniae is a leading cause of bacterial pneumonia and meningitis, resulting in more than 2 million pneumococcal infections and more than 6,000 deaths each year in the United States. Mortality rates are high especially in very young, elderly, and immunocompromised individuals. In Alabama, invasive Streptococcus pneumoniae represents a special concern to the State's aging population, as well as in the rural and economically deprived communities with limited access to routine health care. The currently available pneumococcal vaccines in clinic, e.g., PPV23 and PCV13, have limitations. For example, PPV23 is not effective in children younger than two years old, the elderly, and immunocompromised individuals; and while PCV13 is effective for children, it has limited serotype coverage (fewer than PPV23) and requires an inconvenient four-dose immunization schedule for infants and young children. Moreover, none of these clinical vaccines provide effective protection against S. pneumoniae serotype 3 (ST3), a significant cause of morbidity and mortality worldwide. In this project, we will develop enhanced PPV23 and PCV13 vaccines which can provide increased protection with reduced number of immunizations. The enhancement will be achieved by employing the potent new vaccine adjuvants recently discovered in the Principal Investigator's laboratory at UAB. Success of this project will benefit the citizens of Alabama and have broader positive impacts on global health as well.

In Q2 of 2023, we confirmed the adjuvant's efficacy in a different mouse strain, and we also started to synthesize an alum-free glycoconjugate. For the synthesis, we tested different synthetic conditions to optimize the synthesis.

Overview of 2023 Program Year

Projects Funded Under 2023 Grant Period

| Applicant | Amount |
|--|--------------|
| University of Alabama at Birmingham – Plasma Technology for New Neurovascular Stent | \$316,910.00 |
| University of Alabama at Birmingham – Development of a Novel Bioactive Material for Dental Pulp Treatment | \$350,000.00 |
| The University of Alabama – Advanced Membrane Technology for Removal and Degradation of Short- and Long-Chain PFAS from Water | \$399,831.00 |
| The University of Alabama – Ultra-High Performance Concrete (UHPC) with Local Materials | \$86,195.00 |
| Auburn University – Iron-Based Contrast Agent for Magnetic Resonance Angiography (MRA) | \$184,773.00 |

University of Alabama at Birmingham – Plasma Technology for New Neurovascular Stent

Stroke is a common disease affecting over 90,000 people annually in the U.S and costs the healthcare system over \$33 billion. It represents the leading cause of serious long-term disability and third leading cause of death. While recent advances in stroke intervention have radically improved upon the natural history of the disease, minorities have benefitted less than the general population, in part due to the higher prevalence of carotid occlusion into the acute stroke setting (COASS). Carotid stenosis is implicated in 20-30% of strokes and poses unique therapeutic challenges. In contrast to cardio-embolic stroke, which responds well to intravenous tissue plasminogen activator (tPA) and mechanical thrombectomy, ruptured atherosclerotic plaque requires stent implantation to achieve effective reperfusion. However, a major obstacle in the field is that stent placement requires dual antiplatelet therapy (DAPT) that predisposes to hemorrhagic conversion of ischemic brain tissue. The translational relevance of the proposed project lies in resolving this clinical dilemma by developing a blood-compatible surface modification, potentially enabling carotid stent placement without DAPT. The overall goal of this project is to complete a preclinical study of UAB surface-engineered stents in animal model to demonstrate feasibility.

We have coated the bare metallic stents with three different organic plasma processing (OSP) protocols, developed and studied the chemical, surface, and morphological properties for comparison/identification of the candidate coating process for making glass-coated stents for blood compatibility. Initial approval for the animal studies was completed, and in vitro studies for blood compatibility are ongoing.

University of Alabama at Birmingham – Development of a Novel Bioactive Material for Dental Pulp Treatment

According to the American Association of Endodontists, 22 million endodontic root canal treatment (RCT) procedures are performed annually in the United States. When a tooth is severely infected or decayed, RCT is recommended to preserve the tooth structure and avoid extractions and artificial replacement (i.e., implants, dentures, etc.). In many cases, RCT is not an available

treatment option to some populations due to accessibility and financial burden. In addition, 10-15% of RCTs do not demonstrate long-term success and present as recurrent infections, which leads to permanent tooth loss. However, the need for RCT could be prevented by early detection of the initial stage of dental caries and treatment with the proper application of biomaterials. Therefore, early diagnosis of dental caries and appropriate treatment using biomaterials are critical for the maintenance of pulp vitality with long-term success and for the prevention of RCT and tooth loss. Thus, direct pulp capping (DPC) is a preferred treatment option which is less invasive, reduces patient discomfort and clinic time, and is less expensive. Although numerous DPC materials have been used to improve clinical outcomes with moderate clinical success, many characteristics of these DPC materials still need to be improved, such as pulp cellular compatibility, regenerative potential, physical/mechanical properties (i.e., pH control and setting time), and cost-effectiveness. The main goal of this project is to develop a novel bioactive DPC material that improves the current treatment regimen and to prevent sequential oral disease and infection.

During Q2 of 2023, UAB and industry partners worked to finalize legal agreements about the grant account set up. Lab personnel were hired and received necessary trainings including lab safety, in vitro cell culture and assay training, and animal procedures for the project performance. The hiring of a post-doctoral position is still ongoing via the UAB Postdoctoral Association. Summer undergraduate students and high school students were interviewed and joined the project. The External Advisory Members were confirmed to provide feedback every 6 months. The program director organized team meetings with industry partners to discuss goals for the quarter including administrative and research progresses: the material transfer agreement and the initial material synthesis and coating strategy.

News Release:

• 2023 EndomimeticsTM Announces a Research Collaboration Agreement with BISCO, Inc., to Support Development of a Dental Application of BionanomatrixTM at GlobeNewswire: <u>https://www.ksn.com/business/press-releases/globenewswire/8748399/endomimetics-announces-</u> <u>a-research-collaboration-agreement-with-bisco-inc-to-support-development-of-a-dental-</u> <u>application-of-bionanomatrix/</u>

• 2023 UAB Media Release: <u>https://www.uab.edu/news/people/item/13406-uab-s-cheon-receives-grant-to-improve-dental-materials</u>

The University of Alabama – Advanced Membrane Technology for Removal and Degradation of Short- and Long-Chain PFAS from Water

Per- and poly-fluoroalkyl substances (PFAS) are a group of persistent organic compounds of industrial origin that are now ubiquitous in the environment, including drinking water sources. PFAS are a source of great concern due to their harmful impact on ecosystems and human health. Therefore, the development of efficient technologies for their removal from water/wastewater is a worldwide need. To achieve this goal, the research plan of this proposal is focused on a complete understanding of the PFAS adsorption properties of MXenes, followed by rigorous design and fabrication of highly efficient MXene-adsorptive NF membranes.

In this quarter, our primary focus was on conducting a literature review of various synthesis methods for MXene and fluorinated MXene. We thoroughly explored the existing research on these materials, studying different techniques and approaches used in their synthesis. This

comprehensive review helped us gain a deeper understanding of the current state-of-the-art methods and their potential applications. By analyzing the literature, we aimed to identify the most effective and promising synthesis strategies for MXene and fluorinated MXene, which will guide our future experimental work for the next quarter.

The University of Alabama – Ultra-High-Performance Concrete (UHPC) with Local Materials

The proposed research aims to create an ultra-high-performance concrete (UHPC) mix using local ingredients (obtained from Alabama and nearby states) for use in precast manufacturing settings, with the ultimate goal of lowering the cost of UHPC to between \$650 and \$1,000 per cubic yard. This will be completed in collaboration with Contech Engineering Solutions LLC, a Birminghambased precast producer (an industry partner). The mechanical and structural performance of the generated UHPC mixture will be experimentally evaluated as part of the planned research. Through laboratory testing, the study team will also assess the structural performance of beam and pipe constructions made from this material. We intend to disseminate the accumulated knowledge to local manufacturers and government organizations through personal meetings and webinars, brief online videos, and invitations to observe laboratory experiments.

During this quarter, we performed state-of-art review of current technology related to UHPC material development. We were able to identify and recruit a student to work on this project; we also hired an undergraduate student to start the work. We worked on ordering materials and the development/3D printing of molds needed to cast this material once developed.

Auburn University – Iron-Based Contrast Agent for Magnetic Resonance Angiography (MRA)

Contrast-enhanced magnetic resonance imaging is a staple diagnostic procedure for imaging blood vessels. Over 450 million gadolinium-based contrast agent (GBCA) doses have been administered, since regulatory approval 30 years ago, to improve image quality. While GBCAs offer excellent MRI properties, they have been associated with numerous side effects. Therefore, there is a strong need for new contrast agents able to provide enhanced imaging capabilities without resulting in long-term accumulation and dangerous side effects. In addition, because GBCAs are toxic and designed to be rapidly cleared through kidney filtration, the imaging window is short and provides sub-optimal imaging of the vascular system. Compared to currently utilized contrast agents, our envisioned product has the potential to disrupt the MRA contrast agent markets because of its improved safety profile and enhanced imaging of the vascular system. The product will initially be marketed to radiologists and medical institutions that perform MRA, for application in diagnosing deep venous thrombosis, which affects up to 900,000 people each year in the U.S., vascular malformations, and pediatric imaging. The envisioned contrast agent can also be used in other applications, such as peripheral arterial disease (PAD) and renal imaging, allowing improved imaging of vascular structures while reducing the risk of long-term side effects.

A major aspect of this project is to validate the safety and performance of an iron-based MRI contrast agent. Demonstrating these aspects of the minimum viable product requires the use of animal studies, which will be conducted in dedicated facilities at the University of Alabama at Birmingham. The focus for the past quarter was on preparing and obtaining regulatory approval for the planned studies. This approval has been obtained and will now allow the project to proceed.